



---

**FOR IMMEDIATE RELEASE**

For more information contact:

Brian Gallagher, CIM Marketing Committee Chair

[bgallagher@leadingwithmarketing.com](mailto:bgallagher@leadingwithmarketing.com) or 864-551-0362

**Alliance Concrete Pumps Donates Proceeds from the Sale of a  
Truck-Mounted 38M Concrete Pump with Mack Trucks Chassis to the  
CIM Annual Auction at World of Concrete**

(Las Vegas, Nev. – Jan. 8, 2026)—The Concrete Industry Management (CIM) program—a unique business-intensive program that awards students with a four-year Bachelor of Science degree in Concrete Industry Management—is pleased to announce that Alliance Concrete Pumps has generously donated the proceeds from the sale of a truck-mounted 38M concrete pump with Mack Trucks chassis to the auction fund for the National Steering Committee for CIM’s annual fundraising auction at World of Concrete.

“We deeply value the ongoing support from Alliance Concrete Pumps,” said Ben Robuck, Chairman of the CIM Auction Committee. “Their steadfast dedication to the CIM program highlights their commitment to the concrete industry and the significance they place on CIM’s mission. The proceeds from this item’s sale will play a vital role in ensuring the success of the 2026 CIM Auction at the World of Concrete.”

The modern design of the 38M concrete pump, with a robust rotec pedestal and streamlined side panels and outriggers, allows for less overall weight and makes this machine legal in more places while still providing simplicity, reliability, and performance for the operator.

Specifications for the truck-mounted 38M concrete pump include:

### General Specifications

Pipe Size (ID)	125 mm (5")
Boom Control	Proportional (by HAWE)
Radio Remote	Scanreco wireless dual transmitter system
Vibrator	Standard
Water Pump	Hydraulic Power 20 bar (290 psi)
Water Tank	800 L (211 G)
Wear Parts	Carbide

### Boom Specifications

Number of booms	4 Sections
Folding type	Z Fold
Vertical height	37.1 m (121' 9")
Horizontal reach	33.1 m (108' 7")
Unfolding height	8.9 m (29' 2")
1 <sup>st</sup> Section	8.98 m (29' 5")
2 <sup>nd</sup> Section	7.85 m (25' 9")
3 <sup>rd</sup> Section	7.94 m (26' 1")
4 <sup>th</sup> Section	8.33 m (27' 4")
Outrigger	X-Style
Front Spread	6.3 m (20' 8")
Rear Spread	7.0 m (23')

### Pump Specifications

Output	Rod Side	164 m <sup>3</sup> /h (215 yd <sup>3</sup> /h)
	Piston Side	102 m <sup>3</sup> /h (133 yd <sup>3</sup> /h)
Pressure	Rod Side	72 Bar (1044 psi)
	Piston Side	115‡ bar (1668 psi)

Concrete Cylinder Diameter	230 mm (9")
Concrete Cylinder Type	Hard Chromed
Stroke Length	2100 mm (83")
S-Tube Size	9" x 7"
Main Oil Pump	Rexroth hydromatic A11VLO260

Hydraulic System Pressure	350 bar (5076 psi)
Lube System (Hopper)	Automatic
Switching System	Hydraulic
Hopper Capacity	Easy Clean 600 L (158 G)

Number of Strokes/Minute	31
Output Control Range	10(13)~164m <sup>3</sup> /h (215yd <sup>3</sup> /h)

### The Mack Granite chassis includes:

Model:	GR64B
Engine:	425HP Mack MP7 engine
Transmission:	Mack mDRIVE transmission
Front Axle:	20,000 lb. front axle
Rear Axle:	46,000 lb. rear axle

Fuel Tank: 72-gallon fuel tank

Manufacturer's Suggested Retail Price (MSRP) of the complete unit is \$545,000.

"Alliance Concrete Pumps is proud to donate another concrete pump to the CIM Auction at World of Concrete," said Clayton White, President & CEO of Alliance Concrete Pumps. "My partner Ken and I had an opportunity to visit the CIM program at California State University – Chico in the fall and witness the passion being poured into the curriculum. We were thoroughly impressed and it reaffirmed our commitment to support CIM."

The annual auction will be held on Wednesday, Jan. 21, 2026, in the North Hall of the Las Vegas Convention Center. For a full list of items, please visit [www.concretedegree.com/auction](http://www.concretedegree.com/auction).

Those interested in donating should contact CIM Auction Committee Chairman Ben Robuck at [ben.robuck@cemex.com](mailto:ben.robuck@cemex.com) or (404) 456-6867.

### **About CIM**

Receiving tremendous support from the concrete industry, the CIM program was the first of its kind in the United States – a four-year Bachelor of Science degree in Concrete Industry Management. The need for such a program was identified in 1994 and was put into action by the concrete industry. The end result was a partnership between the concrete industry and Middle Tennessee State University (MTSU) to develop the CIM program, implementing it with its first two students in 1996. Available at MTSU, California State University - Chico, New Jersey Institute of Technology, South Dakota State University and Texas State University, the program has been successful for both the industry and graduates. An [Executive MBA Program](#) in CIM is also offered through MTSU.

To learn more about the program, visit [www.concretedegree.com](http://www.concretedegree.com).